ELSEVIER

Gene 194 (1997) 305–307

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index Vol. 194 (1997)

Abdallah, B., see Ouatas, T. (194) 215
Achenbach, L.A. and Genova, E.G.
Transcriptional regulation of a second flavodoxin gene from *Klebsiella pneumoniae* (194) 235
Acland, G.M., see Akhmedov, N.B. (194) 47
Aguirre, G.D., see Akhmedov, N.B. (194) 47
Akhmedov, N.B., Piriev, N.I., Ray, K., Acland, G.M., Aguirre, G.D. and Farber, D.B.
Structure and analysis of the transducin β3-subunit gene, a candidate for inherited cone degeneration (*cd*) in the dog (194) 47
Allegre, N., see Sario, A.D. (194) 107
Altenbuchner, J., see Volff, J.-N. (194) 81
Anton, D.L., see Payne, M.S. (194) 179
Arai, E., see Yoneya, T. (194) 241
Asahina, K., Oofusa, K., Obara, M. and Yoshizato, K.
Cloning and characterization of the full length cDNA encoding α2 type I collagen of bullfrog *Rana catesbeiana* (194) 283
Asashima, M., see Hatada, S. (194) 297

Bastien, P., see Wincker, P. (194) 77
Berchtold, M.W., see Ye, Q. (194) 63
Bernardi, G., see Sario, A.D. (194) 107
Bieth, E., Cahoreau, C., Cholin, S., Molinas, C., Cerutti, M., Rochiccioli, P., Devauchelle, G. and Tauber, M.
Human growth hormone receptor: cloning and expression of the full-length complementary DNA after site-directed inactivation of a cryptic bacterial promoter (194) 97
Blaineau, C., see Wincker, P. (194) 77
Blatch, G.L., Lässle, M., Zetter, B.R. and Kundra, V.
Isolation of a mouse cDNA encoding mSTI1, a stress-inducible protein containing the TPR motif (194) 277
Bourdais, J., see Ouatas, T. (194) 215
Brightwell, G., Poirier, V., Cole, E., Ivins, S. and Brown, K.W.
Serum-dependent and cell cycle-dependent expression from a cytomegalovirus-based mammalian expression vector (194) 115
Britto, C., see Wincker, P. (194) 77
Brown, K.W., see Brightwell, G. (194) 115

Cahoreau, C., see Bieth, E. (194) 97
Cerutti, M., see Bieth, E. (194) 97
Cholin, S., see Bieth, E. (194) 97
Clewley, J.P., see Hurtado, A. (194) 69
Cloud, J.L., Marconi, R.T., Eggers, C.H., Garon, C.F., Tilly, K. and Samuels, D.S.
Cloning and expression of the *Borrelia burgdorferi lon* gene (194) 137
Cole, E., see Brightwell, G. (194) 115
Cormack, R.S. and Somssich, I.E.
Rapid amplification of genomic ends (RAGE) as a simple method to clone flanking genomic DNA (194) 273

Deitcher, D.L., see Risinger, C. (194) 169
Devauchelle, G., see Bieth, E. (194) 97
DiCosimo, R., see Payne, M.S. (194) 179
Dildine, S.L. and Sandmeyer, S.B.
Integration of the yeast retrovirus-like element Ty3 upstream of a human tRNA gene expressed in yeast (194) 227
Dubessay, P., see Wincker, P. (194) 77
Dyer, D.W., see Giardina, P.C. (194) 19

Eggers, C.H., see Cloud, J.L. (194) 137

Farber, D.B., see Akhmedov, N.B. (194) 47
Foster, L.-A., see Giardina, P.C. (194) 19
Fox, M.G.
Identification of a new ribosomal RNA in *Drosophila melanogaster* (194) 291

Galperin, E., see Moran, D. (194) 201
Garcia-Vazquez, E., see Moran, P. (194) 9
Garon, C.F., see Cloud, J.L. (194) 137
Gasmi, L., see Ouatas, T. (194) 215
Gavagan, J.E., see Payne, M.S. (194) 179
Genova, E.G., see Achenbach, L.A. (194) 235
Giardina, P.C., Foster, L.-A., Toth, S.I., Roe, B.A. and Dyer, D.W.
Analysis of the *alcABC* operon encoding alcaligin biosynthesis enzymes in *Bordetella bronchiseptica* (194) 19
Gopinathan, K.P., see Sharma, S. (194) 257
Greenberg, B., see Zhang, Y.-B. (194) 249

Hatada, S., Kinoshita, M., Sakumoto, H., Nishihara, R., Noda, M. and Asashima, M.
A novel gene encoding a ferredoxin reductase-like protein expressed in the neuroectoderm in *Xenopus* neurula (194) 297
Hayashi, K., see Yoneya, T. (194) 241
Higashi, T., see Sugaya, K. (194) 267
Hongo, E., see Sugaya, K. (194) 267
Horowitz, M., see Moran, D. (194) 201
Hurtado, A., Clewley, J.P., Linton, D., Owen, R.J. and Stanley, J.
Sequence similarities between large subunit ribosomal RNA gene intervening sequences from different *Helicobacter* species (194) 69

Iba, Y., Ito, W. and Kurosawa, Y.
Expression vectors for the introduction of highly diverged sequences into the six complementarity-determining regions of an antibody (194) 35
Ikegawa, S. and Nakamura, Y.
Structure of the gene encoding human colligin-2 (*CBP2*) (194) 301
Inoue, H., see Yoneya, T. (194) 241
Ito, W., see Iba, Y. (194) 35
Ivic, A., Olden, D., Wallington, E.J. and Lund, P.A.
Deletion of *Escherichia coli groEL* is complemented by a *Rhizobium leguminosarum groEL* homologue at 37°C but not at 43°C (194) 1
Ivins, S., see Brightwell, G. (194) 115

Kakeda, M., see Yoneya, T. (194) 241
Kimura, T., see Sugaya, K. (194) 267
Kinoshita, M., see Hatada, S. (194) 297

Kundra, V., see Blatch, G.L. (194) 277
Kurosawa, Y., see Iba, Y. (194) 35

Lacks, S.A., see Zhang, Y.-B. (194) 249
Larhammar, D., see Risinger, C. (194) 169
Lässle, M., see Blatch, G.L. (194) 277
León, P.d. and Mellado, R.P.
Ribosomal RNA synthesis in *Streptomyces lividans* under heat shock conditions (194) 125
Linton, D., see Hurtado, A. (194) 69
Lund, P.A., see Ivic, A. (194) 1
Lundell, I., see Risinger, C. (194) 169

Maccheroni, W., Jr., May, G.S., Martinez-Rossi, N.M. and Rossi, A.
The sequence of *pal*F, an environmental pH response gene in *Aspergillus nidulans* (194) 163
Malys, N., see Zajančkauskaite, A. (194) 157
Marconi, R.T., see Cloud, J.L. (194) 137
Martinez-Rossi, N.M., see Maccheroni, W., Jr., (194) 163
May, G.S., see Maccheroni, W., Jr., (194) 163
Mazabraud, A., see Ouatas, T. (194) 215
Mellado, R.P., see León, P.d. (194) 125
Mita, K., see Sugaya, K. (194) 267
Mogk, A. and Schumann, W.
Cloning and sequencing of the *hrcA* gene of *Bacillus stearothermophilus* (194) 133
Molinas, C., see Bieth, E. (194) 97
Moran, D., Galperin, E. and Horowitz, M.
Identification of factors regulating the expression of the human glucocerebrosidase gene (194) 201
Moran, P., Reed, K.M., Pérez, J., Oakley, T.H., Phillips, R.B., Garcia-Vazquez, E. and Pendas, A.M.
Physical localization and characterization of the *Bgl*I element in the genomes of Atlantic salmon (*Salmo salar* L.) and brown trout (*S. trutta* L.) (194) 9
Morimyo, M., see Sugaya, K. (194) 267

Nakamura, Y., see Ikegawa, S. (194) 301
Nishi, N., see Yoneya, T. (194) 241
Nishihara, R., see Hatada, S. (194) 297
Nishikawa, M., see Yoneya, T. (194) 241
Nivinskas, R., see Zajančkauskaite, A. (194) 157
Noda, M., see Hatada, S. (194) 297
Nohata, J., see Sugaya, K. (194) 267
Nugroho, F.A., see Yamamoto, H. (194) 191

Oakley, T.H., see Moran, P. (194) 9
Obara, M., see Asahina, K. (194) 283
Ohshima, S., see Park, J.-H. (194) 183
Ohshima, Y., see Park, J.-H. (194) 183
Olden, D., see Ivic, A. (194) 1
Oofusa, K., see Asahina, K. (194) 283
Osawa, M., see Yoneya, T. (194) 241
Ota, T., see Schwartz, F. (194) 57
Ouatas, T., Abdallah, B., Gasmi, L., Bourdais, J., Postel, E. and Mazabraud, A.
Three different genes encode NM23/nucleoside diphosphate kinases in *Xenopus laevis* (194) 215
Owen, R.J., see Hurtado, A. (194) 69

Pagès, M., see Wincker, P. (194) 77
Park, J.-H., Ohshima, S., Tani, T. and Ohshima, Y.
Structure and expression of the *gsa-1* gene encoding a G protein α(s) subunit in *C. elegans* (194) 183
Park, S.G. and Yudkin, M.D.
Sequencing and phylogenetic analysis of the *spoIIA* operon from diverse *Bacillus* and *Paenibacillus* species (194) 25
Patwardhan, L., see Sharma, S. (194) 257
Payne, M.S., Petrillo, K.L., Gavagan, J.E., DiCosimo, R., Wagner, L.W. and Anton, D.L.
Engineering *Pichia pastoris* for biocatalysis: co-production of two active enzymes (194) 179
Pendas, A.M., see Moran, P. (194) 9
Pérez, J., see Moran, P. (194) 9
Petrillo, K.L., see Payne, M.S. (194) 179
Phillips, R.B., see Moran, P. (194) 9
Piriev, N.I., see Akhmedov, N.B. (194) 47
Poirier, V., see Brightwell, G. (194) 115
Postel, E., see Ouatas, T. (194) 215

Ravel, C., see Wincker, P. (194) 77
Ray, K., see Akhmedov, N.B. (194) 47
Reed, K.M., see Moran, P. (194) 9
Risinger, C., Deitcher, D.L., Lundell, I., Schwarz, T.L. and Larhammar, D.
Complex gene organization of synaptic protein SNAP-25 in *Drosophila melanogaster* (194) 169
Rochiccioli, P., see Bieth, E. (194) 97
Roe, B.A., see Giardina, P.C. (194) 19
Roizes, G., see Sario, A.D. (194) 107
Rossi, A., see Maccheroni, W., Jr., (194) 163

Sakumoto, H., see Hatada, S. (194) 297
Samuels, D.S., see Cloud, J.L. (194) 137
Sandmeyer, S.B., see Dildine, S.L. (194) 227
Sario, A.D., Roizes, G., Allegre, N. and Bernardi, G.
A compositional map of the cen-q21 region of human chromosome 21 (194) 107
Sasanuma, S.-i., see Sugaya, K. (194) 267
Schumann, W., see Mogk, A. (194) 133
Schwartz, F. and Ota, T.
The *239AB* gene on chromosome 22: a novel member of an ancient gene family (194) 57
Schwarz, T.L., see Risinger, C. (194) 169
Sekiguchi, J., see Yamamoto, H. (194) 191
Sharma, S., Sriram, S., Patwardhan, L. and Gopinathan, K.P.
Expression of individual members of a $tRNA_1^{Gly}$ multigene family in vivo follows the same pattern as in vitro (194) 257
Silke, J.
The majority of long non-stop reading frames on the antisense strand can be explained by biased codon usage (194) 143
Somssich, I.E., see Cormack, R.S. (194) 273
Sriram, S., see Sharma, S. (194) 257
Stanley, J., see Hurtado, A. (194) 69
Sugaya, K., Sasanuma, S.-i., Nohata, J., Kimura, T., Hongo, E., Higashi, T., Morimyo, M., Tsuji, H. and Mita, K.
Cloning and sequencing for the largest subunit of Chinese hamster RNA polymerase II gene: identification of a mutation related to abnormal induction of sister chromatid exchanges (194) 267

Tani, T., see Park, J.-H. (194) 183
Tauber, M., see Bieth, E. (194) 97
Tilly, K., see Cloud, J.L. (194) 137
Toth, S.I., see Giardina, P.C. (194) 19
Tseng, H.
Complementary oligonucleotides and the origin of the mammalian *involucrin* gene (194) 87
Tsuji, H., see Sugaya, K. (194) 267

Uchiyama, S., see Yamamoto, H. (194) 191

Volff, J.-N. and Altenbuchner, J.
High frequency transposition of the Tn*5* derivative Tn*5493* in *Streptomyces lividans* (194) 81

Wagner, L.W., see Payne, M.S. (194) 179
Wallington, E.J., see Ivic, A. (194) 1
Wincker, P., Ravel, C., Britto, C., Dubessay, P., Bastien, P., Pagès, M. and Blaineau, C.
A direct method for the chromosomal assignment of DNA markers in *Leishmania* (194) 77

Yamada, Y., see Yoneya, T. (194) 241
Yamamoto, H., Uchiyama, S., Nugroho, F.A. and Sekiguchi, J.
Cloning and sequencing of a 35.7 kb in the 70°–73° region of the *Bacillus subtilis* genome reveal genes for a new two-component system, three spore germination proteins, an iron uptake system and a general stress response protein (194) 191
Ye, Q. and Berchtold, M.W.
Structure and expression of the chicken calmodulin I gene (194) 63
Yoneya, T., Yamada, Y., Kakeda, M., Osawa, M., Arai, E., Hayashi, K., Nishi, N., Inoue, H. and Nishikawa, M.
Molecular cloning of a novel receptor-type protein tyrosine phosphatase from murine fetal liver (194) 241
Yoshizato, K., see Asahina, K. (194) 283
Yudkin, M.D., see Park, S.G. (194) 25

Zajančkauskaite, A., Malys, N. and Nivinskas, R.
A rare type of overlapping genes in bacteriophage T4: gene *30.3'* is completely embedded within gene *30.3* by one position downstream (194) 157
Zetter, B.R., see Blatch, G.L. (194) 277
Zhang, Y.-B., Greenberg, B. and Lacks, S.A.
Analysis of a *Streptococcus pneumoniae* gene encoding signal peptidase I and overproduction of the enzyme (194) 249